مبيد حشري من مجموعة إندوكساكرب 22A

أدفايون جل النمل

ADVION® ANT GEL

syngenta®

مبيد حشري

للاستخدام في المناطق السكنية، المؤسسية، التجارية، والصناعية

تشمل مواقع الاستخدام المباني السكنية الفردية ومتعددة الأسر، المدارس، المرافق التجارية والصناعية (بما في ذلك المستودعات، الشقق، محلات السوبر ماركت، المطاعم، الموتيلات، الفنادق، المستشفيات، حدائق الحيوان، مؤسسات تداول / تخزين الأغذية)، ومعدات النقل مثل الطائرات، القطارات، السفن، القوارب، والحافلات.

يُحفظ بعيداً عن متناول الأطفال

PRECAUCIÓN / تنبيه

إذا كنت لا تفهم الملصق، فابحث عن شخص ليشرحه لك بالتفصيل. (**Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.**)

لا تعالج المناطق التي يسهل وصول الأطفال والحيوانات الأليفة إليها.

المكونات النشطة:

إندوكساكرب (INDOXACARB):

(S)-methyl 7-chloro-2,5-dihydro-2-[[(methoxycarbonyl)[4(trifluoromethoxy)phenyl]amino]carbonyl]indeno[1.2-e][1,3,4]oxadiazine-4a-(3H) carboxylate

0.05%

المادة ذات النشاط السطحي:

0%

المادة المذيبة:

0%

مكونات أخرى:

99.95%

الإجمالي: 100.0%

نتمي إندوكساكرب إلى الفئة الكيميائية أوكساديازين.
رقم تسجيل وكالة حماية البيئة: 100-1498
رقم منشأة وكالة حماية البيئة: IL-002-54450
بلد المنشأ: منتج من الولايات المتحدة الأمريكية
الوزن الصافي: 4 محاقن × 1.06 أونصة (30 جرام)
حاوية غير قابلة لإعادة الملء

الإسعافات الأولية

احتفظ بوعاء المنتج أو الملصق معك عند الاتصال بمركز مكافحة السموم أو الطبيب، أو الذهاب لتلقي العلاج.

رقم الخط الساخن للطوارئ

999

للحصول على مساعدة طبية طارئة على مدار 24 ساعة (للإنسان أو الحيوان) أو المساعدة في حالات الطوارئ الكيميائية (انسكاب، تسرب، حريق أو حادث)، اتصل على الرقم العالمي لشركة سينجنتا: **1-800-888-8372**

البيانات الاحترازية: المخاطر على البشر والحيوانات الأليفة

تنبيه: تجنب ملامسة الجلد أو العينين أو الملابس. اغسل جيداً بالماء والصابون بعد المناولة. قد يسبب تلامس الجلد المطول ردود فعل تحسسية لدى بعض الأفراد.

المخاطر البيئية:

هذا المبيد سام للأسماك واللافقاريات المائية. لا تضعه مباشرة على الماء، أو في المناطق التي توجد بها مياه سطحية، أو في المناطق الواقعة بين المد والجزر تحت علامة المد العالي المتوسطة. لا تلوث المياه عند التخلص من مياه غسل المعدات أو الشطف. قد يكون الجريان السطحي خطراً على الكائنات المائية في المياه المجاورة للمناطق المعالجة. سيتم تقليل الجريان السطحي لهذا المنتج عن طريق تجنب التطبيق عند توقع هطول الأمطار في غضون 24 ساعة. سيساعد شطف معدات التطبيق فوق المنطقة المعالجة على تجنب الجريان السطحي إلى المسطحات المائية أو أنظمة الصرف. لا تطبق على أي أسطح غير منفذة قد تلامس أو تؤدي مباشرة إلى المياه السطحية، مصارف مياه الأمطار، أو أنظمة نقل الجريان السطحي في المناطق الحضرية (المزاريب).

المخاطر الفيزيائية والكيميائية:

لا تستخدم هذا المنتج في أو على المعدات الكهربائية حيث يوجد احتمال لخطر الصدمة الكهربائية.

إدارة مقاومة الحشرات

لإدارة المقاومة، يحتوي **Advion® Ant Gel** على مبيد حشري من المجموعة **22A**. قد يحتوي أي مجتمع من الحشرات على أفراد مقاومين بشكل طبيعي لطعم أدفايون جل النمل وغيره من المبيدات الحشرية من المجموعة 22A. قد يهيمن الأفراد المقاومون على مجتمع الحشرات إذا تم استخدام هذه المجموعة من المبيدات الحشرية بشكل متكرر في نفس المناطق المعالجة. يجب اتباع استراتيجيات إدارة المقاومة المناسبة.

لتأخير مقاومة المبيدات الحشرية، اتبع الخطوات التالية:

- قم بتدوير استخدام **Advion Ant Gel** مع مجموعات مختلفة تكافح نفس الآفات.
- اعتمد برنامجاً متكاملًا لإدارة الآفات (IPM) يشمل الاستكشاف، واستخدام المعلومات التاريخية المتعلقة باستخدام المبيدات الحشرية، وحفظ السجلات، ويأخذ في الاعتبار الممارسات الثقافية والبيولوجية وغيرها من ممارسات المكافحة الكيميائية.
- اقب بعد التطبيق لمعرفة ما إذا كانت هناك مقاومة غير متوقعة للآفة المستهدفة. إذا كان مستوى البقاء يشير إلى وجود مقاومة، فاستشر أخصائي الجامعة المحلي أو مستشار مكافحة الآفات المعتمد.
- اتصل بممثل سينجنتا المحلي أو بائع التجزئة أو أخصائي الإرشاد للحصول على أي توصيات إضافية لإدارة المقاومة في منطقة محددة.
- لمزيد من المعلومات أو للإبلاغ عن مقاومة مشتبه بها اتصل بشركة سينجنتا على الرقم **SYNGENT(A)-866-1**.

تشجع سينجنتا الإدارة المسؤولة للمنتج لضمان مكافحة فعالة وطويلة الأجل للحشرات الموجودة على هذا الملصق.

تعليمات الاستخدام

> **يعد انتهاكاً للقانون الفيدرالي استخدام هذا المنتج بطريقة غير متوافقة مع ملصقه.**

معلومات المنتج:

تمت صياغة طعم أدفايون جل النمل (**Advion® Ant Gel**) خصيصاً ليكون جذاباً لجميع أنواع النمل الرئيسية الآفات مثل: الأكروبات، الأرجنتيني، كبير الرأس، النجار، حقل الذرة، المجنون، الحقلي، الشبح، الحصاد*، العسل، الأسود الصغير، المنزل كريه الرائحة، الرصيف، الفرعون*، الهرمي، النمل الناري المستورد الأحمر*، الجوال، اللص، والأبيض القدمين. يحتوي **Advion Ant Gel** على المادة الفعالة إندوكساكرب، وهو مبيد حشري غير طارد. سيساعد استخدامه في القضاء على النمل في غضون أيام من التطبيق وفقاً للتعليمات.

* ملحوظة: **Advion Ant Gel** فعال في قتل نمل الفرعون، ونمل النار المستورد الأحمر الباحث عن الطعام، ونمل الحصاد. للتحكم الكامل في أعشاش هذه الأنواع في الهواء الطلق، استخدم علاجات إضافية مخصصة لأعشاش الهواء الطلق لهذه الأنواع.

تعليمات واحتياطات الاستخدام:

لا تعالج المناطق التي يسهل وصول الأطفال والحيوانات الأليفة إليها.

1. يمكن استخدام **Advion Ant Gel** في الداخل أو الخارج كمعالجة للشقوق والصدوع أو علاج موضعي في المنازل السكنية الفردية ومتعددة الأسر، والمرافق المؤسسية والتجارية والصناعية (بما في ذلك المدارس، المستودعات، الشقق، محلات السوبر ماركت، المطاعم، الموتيلات، الفنادق، المستشفيات، دور رعاية المسنين، المكاتب، حدائق الحيوان، مؤسسات البيع بالتجزئة، مؤسسات تداول وتخزين الأغذية)، ومعدات النقل مثل الطائرات، القطارات، السفن، القوارب، والحافلات، والمواقع الأخرى المماثلة حيث تمثل إصابات النمل مشكلة.
2. تجنب تطبيق **Advion Ant Gel** على الأسطح التي تم علاجها مؤخراً بالرشاشات ذات الأثر المتبقي.
3. لا ينبغي معالجة الأسطح المعالجة بـ **Advion Ant Gel** بالرشاشات ذات الأثر المتبقي.
4. افحص التطبيقات بشكل دوري للاستهلاك والنشاط وقم بتطبيق طعم إضافي حسب الحاجة.
5. لا تطبق على الأسطح التي تلامس الطعام.
6. لا تسمح للأطعمة المفتوحة بملامسة مادة الجل.
7. محطات الطعم القابلة لإعادة الملء: يمكن استخدامه في المحطات التجارية المصممة للمكافحة الداخلية و/أو الخارجية أو المحيطية. إذا لم تكن المحطة مجهزة بملصق تعريفي، ضع ملصقاً يوضح المحتوى. للحصول على أفضل النتائج، ضع المحطات بالقرب من مسارات النمل أو مواقع الأعشاش أو أماكن البحث عن الطعام.

معدلات المعالجة لجميع الاستخدامات:

- طبق **ADVION ANT GEL** كبقع من الجل أو خطوط صغيرة من الجل على مسارات البحث عن الطعام النشطة، أو مواقع الأعشاش، أو المناطق المعروفة بأنها نشطة.
- طبق بقعاً بوزن 0.1 إلى 1.0 جرام (بقطر 1/4 بوصة تقريباً).
- طبق خطوطاً بعرض 1/8 بوصة تقريباً وطول 2 بوصة؛ وتصل إلى 3 بوصات للمسارات النشطة جداً.
- ضع أكبر عدد ممكن من المواضع دون تعطيل سلوك البحث الطبيعي للنمل.

التطبيقات في مناطق تداول الأغذية:

يسمح بالتطبيق في مناطق الأغذية/الأعلاف في مؤسسات تداول الأغذية كمعالجة للشقوق والصدوع فقط.

1. طبق **Advion Ant Gel** مباشرة في الشقوق والصدوع عن طريق وضع طرف موزع الطعم حوالي 1/2 بوصة داخل الشقوق والفتحات حيث يوجد النمل أو يدخل منها.
2. تشمل مناطق تداول الأغذية مناطق الاستلام، التخزين، التعبئة (التعليب، التعبئة في زجاجات، التغليف، الملاكمة)، التحضير، وتخزين النفايات، والأنظمة المغلقة (المطاحن، الألبان، الزيوت، العصائر).
3. تعتبر مناطق التقديم أيضاً منطقة أغذية عندما يكون الطعام مكشوفاً والمنشأة قيد التشغيل.
4. لا تطبق **Advion Ant Gel** على المناطق التي قد يتلامس فيها الطعام أو الأواني مع المبيد وتصبح ملوثة.
5. لا تطبق في المناطق التي تُغسل بشكل روتيني (مثل أسطح الطاولات وأسطح التحضير) لأن الطعم قد يزال عن طريق الغسيل.
6. لا تطبق على الأسطح التي تتجاوز درجة حرارتها 120-130 درجة فهرنهايت (مثل أجزاء المواقد، الأفران، الشوايات، أنابيب الماء الساخن) لأن الجل قد يسيل ويفقد فعاليته.
7. استخدم ممارسة تطبيق جيدة لتجنب انتقال الجل إلى الأسطح المكشوفة. إذا لامس الجل سطحاً مكشوفاً، أزل أكبر قدر ممكن منه ثم اغسل بالماء والصابون. تعليمات ا

تعليمات الاستخدام الخارجي:

قد يكشف الفحص الشامل حول الهيكل عن مناطق يدخل منها النمل. يجب بذل محاولات لإزالة هذا الوصول. طبق **ADVION ANT GEL** كبقع أو خيط رفيع على مواقع دخول الآفات مثل النوافذ والأبواب ومناطق الصرف الصحي والأشجار المجاورة التي تأوي النمل وعلى طول الجدران وناطق حفظ القمامة. ضع الطعوم بطريقة تقلل من احتمالية الاتصال البشري اللاحق. افحص دورياً وطبق جل نمل طازجاً حسب الحاجة.

التخزين والتخلص

لا تلوث الماء أو الطعام أو العلف عن طريق التخزين والتخلص.

تخزين المبيد:

يُخزن في مكان بارد وجاف لا يمكن للأطفال والحيوانات الأليفة الوصول إليه.

التخلص من المبيد:

يجب التخلص من النفايات الناتجة عن استخدام هذا المنتج في الموقع أو في منشأة معتمدة للتخلص من النفايات.

التخلص من الحاوية:

حاوية غير قابلة لإعادة الملء: لا تعيد استخدام أو إعادة ملء هذه الحاوية. اعرضها لإعادة التدوير إذا كانت متاحة. ضع موزعات الطعم الفارغة في سلة المهملات. إذا كانت ممتلئة جزئياً، لفها في جريدة وتخلص منها في سلة المهملات.

مضاد التسمم: **لا يوجد مضاد معين، وتتم المعالجة حسب الأعراض الظاهرة.**

تصنيف منظمة الصحة العالمية: **WHO Class II (الفئة الثانية)**

تاريخ الإنتاج: **21/04/2026**

تاريخ الانتهاء: **21/04/2029**

رقم التشغيلة (BATCH NO): **ABW6D28062**

شروط البيع وتحديد الضمان والمسؤولية

إشعار:

اقرأ تعليمات الاستخدام بالكامل وشروط البيع وتحديد الضمان والمسؤولية قبل شراء أو استخدام هذا المنتج. إذا كانت الشروط غير مقبولة، فأعد المنتج فوراً، غير مفتوح، وسيتم استرداد سعر الشراء.

يجب اتباع تعليمات استخدام هذا المنتج بعناية. من المستحيل القضاء على جميع المخاطر المرتبطة بطبيعة الحال باستخدام هذا المنتج. تضمن SYNGENTA أن هذا المنتج يتوافق مع الوصف الكيميائي الموجود على الملصق وأنه مناسب بشكل معقول للأغراض المذكورة في تعليمات الاستخدام، عند استخدامه وفقاً للتوجيهات في ظل ظروف الاستخدام العادية.

بالقدر الذي يسمح به القانون المعمول به، لن تكون SYNGENTA مسؤولة بأي حال من الأحوال عن أي أضرار عرضية أو تبعية أو خاصة ناتجة عن استخدام أو تداول هذا المنتج.

MANUFACTURED FOR:

SYNGENTA CROP PROTECTION, LLC

P.O. BOX 18300
GREENSBORO, NORTH CAROLINA 27419-8300, USA

PRODUCT OF USA

SCP 1498A-L1C 0420

IMPORTER:

VERMINEX PEST CONTROL EXPERTS

Villa 666, Road 3213, Block 332, Bu Ashira - Bahrain

+973 17280188

Email: info@verminexbahrain.com

WWW.VERMINEXBAHRAIN.COM

ADVION® ANT GEL

ADVION®, THE ALLIANCE FRAME, THE SYNGENTA LOGO AND THE PURPOSE ICON ARE TRADEMARKS OF A SYNGENTA GROUP COMPANY

© 2026 VERMINEX PEST CONTROL EXPERTS & SYNGENTA GROUP. ALL RIGHTS RESERVED.
STRICTLY CONFIDENTIAL - OFFICIAL REGULATORY REFERENCE DOCUMENT.

INDOXACARB GROUP 22A INSECTICIDE

ADVION® ANT GEL

INSECTICIDE

syngenta®

FOR USE IN RESIDENTIAL, INSTITUTIONAL, COMMERCIAL, AND INDUSTRIAL AREAS

USE SITES INCLUDE SINGLE AND MULTI-FAMILY RESIDENTIAL BUILDINGS, SCHOOLS, COMMERCIAL AND INDUSTRIAL FACILITIES (INCLUDING WAREHOUSES, APARTMENTS, SUPERMARKETS, RESTAURANTS, MOTELS, HOTELS, HOSPITALS, ZOOS, FOOD HANDLING/STORAGE ESTABLISHMENTS), AND TRANSPORTATION EQUIPMENT SUCH AS AIRCRAFT, TRAINS, SHIPS, BOATS, BUSES.

KEEP OUT OF REACH OF CHILDREN

CAUTION / PRECAUCIÓN

SI USTED NO ENTIENDE LA ETIQUETA, BUSQUE A ALGUIEN PARA QUE SE LA EXPLIQUE A USTED EN DETAIL. (IF YOU DO NOT UNDERSTAND THE LABEL, FIND SOMEONE TO EXPLAIN IT TO YOU IN DETAIL.)

DO NOT TREAT AREAS THAT ARE EASILY ACCESSIBLE TO CHILDREN AND PETS

ACTIVE INGREDIENT:

INDOXACARB:

(S)-METHYL 7-CHLORO-2,5-DIHYDRO-2-[[(METHOXYCARBONYL) [4(TRIFLUOROMETHOXY) PHENYL]AMINO] CARBONYL]INDENO[1.2-E] [1,3,4]OXADIAZINE-4A-(3H) CARBOXYLATE

0.05%

SURFACE-ACTIVE SUBSTANCE:

0%

SOLVENT SUBSTANCE:

0%

OTHER INGREDIENTS:

99.95%

TOTAL: 100.0%

INDOXACARB BELONGS TO THE OXADIAZINE CHEMICAL CLASS.
EPA REG. NO.: 100-1498
EPA EST.: 54450-IL-002
PRODUCT OF USA
NET WEIGHT: 4 X 1.06 OZ (30G) SYRINGES
NON-REFILLABLE CONTAINER

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

EMERGENCY NUMBER

999

HOT LINE (24-HOUR MEDICAL EMERGENCY ASSISTANCE): 1-800-888-8372

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: AVOID CONTACT WITH SKIN, EYES OR CLOTHING. WASH THOROUGHLY WITH SOAP AND WATER AFTER HANDLING. PROLONGED OR FREQUENTLY REPEATED SKIN CONTACT MAY CAUSE ALLERGIC REACTIONS IN SOME INDIVIDUALS.

ENVIRONMENTAL HAZARDS

THIS PESTICIDE IS TOXIC TO FISH AND AQUATIC INVERTEBRATES. DO NOT APPLY DIRECTLY TO WATER, OR TO AREAS WHERE SURFACE WATER IS PRESENT, OR TO INTERTIDAL AREAS BELOW THE MEAN HIGH WATER MARK. DO NOT CONTAMINATE WATER WHEN DISPOSING OF EQUIPMENT WASHWATER OR RINSATE. RUNOFF MAY BE HAZARDOUS TO AQUATIC ORGANISMS IN WATER ADJACENT TO TREATED AREAS. RUNOFF OF THIS PRODUCT WILL BE REDUCED BY AVOIDING APPLICATIONS WHEN RAINFALL IS FORECASTED TO OCCUR WITHIN 24 HOURS. RINSING APPLICATION EQUIPMENT OVER THE TREATED AREA WILL HELP AVOID RUNOFF TO WATER BODIES OR DRAINAGE SYSTEMS. DO NOT APPLY TO ANY IMPERVIOUS SURFACES WHICH MAY CONTACT OR LEAD DIRECTLY TO SURFACE WATER, STORM DRAINS, OR URBAN RUNOFF CONVEYANCE SYSTEMS (GUTTERS).

PHYSICAL AND CHEMICAL HAZARDS

DO NOT USE THIS PRODUCT IN OR ON ELECTRICAL EQUIPMENT WHERE A POSSIBILITY OF SHOCK HAZARD EXISTS.

INSECT RESISTANCE MANAGEMENT

INDOXACARB

GROUP 22A INSECTICIDE

FOR RESISTANCE MANAGEMENT, ADVION ANT GEL CONTAINS A GROUP 22A INSECTICIDE. ANY INSECT POPULATION MAY CONTAIN INDIVIDUALS NATURALLY RESISTANT TO ADVION ANT GEL AND OTHER GROUP 22A INSECTICIDES. THE RESISTANT INDIVIDUALS MAY DOMINATE THE INSECT POPULATION IF THIS GROUP OF INSECTICIDES ARE USED REPEATEDLY IN THE SAME TREATED AREAS. APPROPRIATE RESISTANCE-MANAGEMENT STRATEGIES SHOULD BE FOLLOWED.

- ROTATE THE USE OF ADVION ANT GEL WITH DIFFERENT GROUPS THAT CONTROL THE SAME PESTS.
- ADOPT AN INTEGRATED PEST MANAGEMENT (IPM) PROGRAM FOR INSECTICIDE USE THAT INCLUDES SCOUTING, USES HISTORICAL INFORMATION RELATED TO PESTICIDE USE, RECORD KEEPING, AND WHICH CONSIDERS CULTURAL, BIOLOGICAL, AND OTHER CHEMICAL CONTROL PRACTICES.
- MONITOR AFTER APPLICATION FOR UNEXPECTED TARGET PEST SURVIVAL. IF THE LEVEL OF SURVIVAL SUGGESTS THE PRESENCE OF RESISTANCE, CONSULT WITH YOUR LOCAL UNIVERSITY SPECIALIST OR CERTIFIED PEST CONTROL ADVISOR.
- CONTACT YOUR LOCAL SYNGENTA REPRESENTATIVE, RETAILER, OR EXTENSION SPECIALIST FOR ANY ADDITIONAL PESTICIDE RESISTANCE-MANAGEMENT AND/OR IPM RECOMMENDATIONS FOR THE SPECIFIC SITE AND PEST PROBLEMS IN YOUR AREA.
- FOR FURTHER INFORMATION OR TO REPORT SUSPECTED RESISTANCE CONTACT SYNGENTA AT 1-866-SYNGENT(A) (866-796-4368).

SYNGENTA ENCOURAGES RESPONSIBLE PRODUCT STEWARDSHIP TO ENSURE EFFECTIVE LONG-TERM CONTROL OF THE INSECTS ON THIS LABEL.

INSECT RESISTANCE MANAGEMENT

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

PRODUCT INFORMATION:

ADVION® ANT GEL IS SPECIFICALLY FORMULATED TO BE ATTRACTIVE TO MAJOR PEST SPECIES OF ANTS SUCH AS ACROBAT, ARGENTINE, BIG-HEADED, CARPENTER, CORNFIELD, CRAZY, FIELD, GHOST, HARVESTER*, HONEY, LITTLE BLACK, ODOROUS HOUSE, PAVEMENT, PHARAOH*, PYRAMID, RED IMPORTED FIRE ANT*, ROVER, THIEF, AND WHITE-FOOTED. ADVION ANT GEL CONTAINS THE ACTIVE INGREDIENT, INDOXACARB, A NON-REPELLENT INSECTICIDE. USE OF ADVION ANT GEL WILL HELP ELIMINATE ANTS WITHIN DAYS OF APPLYING THE GEL ACCORDING TO THE USE DIRECTIONS.

*** Advion Ant Gel is effective at killing Pharaoh ants, foraging red imported fire ants and harvester ants. For complete control of outdoor nests of these species, use additional treatments labeled for outdoor nest control of these species.**

PRODUCT INFORMATION:

DO NOT TREAT AREAS THAT ARE EASILY ACCESSIBLE TO CHILDREN AND PETS.

1. **ADVION® ANT GEL CAN BE USED INDOORS OR OUTDOORS APPLIED AS A CRACK AND CREVICE OR SPOT TREATMENT IN SINGLE AND MULTI-FAMILY RESIDENTIAL HOMES, INSTITUTIONAL, COMMERCIAL AND INDUSTRIAL FACILITIES (INCLUDING SCHOOLS, WAREHOUSES, APARTMENTS, SUPERMARKETS, RESTAURANTS, MOTELS, HOTELS, HOSPITALS, NURSING HOMES, OFFICES, ZOOS, RETAIL ESTABLISHMENTS, FOOD HANDLING/STORAGE ESTABLISHMENTS), TRANSPORTATION EQUIPMENT SUCH AS AIRCRAFT, TRAINS, SHIPS, BOATS, AND BUSES, AND OTHER SIMILAR SITES WHERE ANT INFESTATIONS ARE A PROBLEM.**

2. **VAVOID APPLYING ADVION ANT GEL TO SURFACES RECENTLY TREATED WITH RESIDUAL SPRAYS.**

3. **SURFACES TREATED WITH ADVION ANT GEL SHOULD NOT BE TREATED WITH RESIDUAL SPRAYS.**

4. **INSPECT APPLICATIONS PERIODICALLY FOR CONSUMPTION/ACTIVITY AND APPLY ADDITIONAL BAIT AS NEEDED.**

5. **DO NOT APPLY TO SURFACES THAT FOOD CONTACTS.**

6. **DO NOT ALLOW OPEN FOODS TO CONTACT GEL MATERIAL.**

7. **REFILLABLE BAIT STATIONS: ADVION ANT GEL MAY BE USED IN COMMERCIALLY AVAILABLE REFILLABLE BAIT STATIONS DESIGNED FOR INTERIOR AND/OR EXTERIOR OR PERIMETER INSECT PEST CONTROL. IF THE REFILLABLE BAIT STATION IS NOT EQUIPPED WITH A STICKER TO IDENTIFY THE CONTENTS, APPLY A STICKER EITHER ON THE INTERIOR OR EXTERIOR OF THE DEVICE. FOR BEST RESULTS, POSITION REFILLABLE BAIT STATIONS NEAR ANT TRAILS, NEST SITES, OR WHERE ANTS ARE KNOWN TO ACTIVELY FORAGE. REGULARLY INSPECT EACH REFILLABLE BAIT STATIONS AND REPLACE WITH ADVION ANT GEL AS NEEDED FOR CONTINUAL CONTROL OF ANTS.**

TREATMENT RATES FOR ALL USES:

- APPLY ADVION® ANT GEL AS SPOTS OF GEL OR SMALL LINES OF GEL.
- PLACEMENTS OF SPOTS OR LINES OF ADVION ANT GEL SHOULD BE TO ACTIVE FORAGING TRAILS, NEST SITES, OR TO AREAS KNOWN TO BE ACTIVE.
- APPLY 0.1 TO 1.0 GRAM SPOTS OF ADVION ANT GEL OR APPROXIMATELY 1/4" IN DIAMETER SPOTS.
- APPLY LINES OF ADVION ANT GEL OF APPROXIMATELY 1/8" WIDE AND 2" LONG; UP TO 3" LONG FOR HIGHLY ACTIVE FORAGING TRAILS.
- APPLY AS MANY PLACEMENTS OF ADVION ANT GEL AS POSSIBLE TO ACTIVE FORAGING AREAS WITHOUT DISRUPTING THE NATURAL FORAGING BEHAVIOR OF ANTS.
- IF ADVION ANT GEL IS USED IN REFILLABLE BAIT STATIONS APPLY AN AMOUNT OF THE ADVION ANT GEL THAT DOES NOT EXCEED THE CAPACITY OF THE REFILLABLE BAIT STATION'S BAIT RESERVOIR.

INDOOR USE DIRECTIONS:

INSPECT INFESTED AREAS CAREFULLY TO DETERMINE OVERALL INFESTATION LEVELS, LOCATIONS OF FORAGING, NESTING AREAS, AND MOST APPROPRIATE APPLICATION POINTS. INDOOR APPLICATIONS INCLUDE CRACKS AND CREVICES ALONG WALLS OR FLOORS, BEHIND OR UNDER EQUIPMENT OR APPLIANCES, UNDER TABLES, WITHIN FRAMING OF TABLES OR FURNITURE, AROUND SINKS, WITHIN OR NEAR GARBAGE COLLECTION AREAS, ATTICS, CRAWL SPACES, AND CRACKS AND CREVICES IN CABINETS. INSPECT ADVION ANT GEL PLACEMENTS PERIODICALLY FOR CONSUMPTION OR ATTRACTIVENESS AND REAPPLY AS NEEDED.

APPLICATIONS IN NON-FOOD/NON-FEED HANDLING AREAS:

NON-FOOD/NON-FEED AREAS INCLUDE AREAS SUCH AS GARBAGE ROOMS, LAVATORIES, FLOOR DRAINS (TO SEWERS), ENTRIES, AND VESTIBULES, OFFICES, LOCKER ROOMS, MACHINE ROOMS, BOILER ROOMS, GARAGES, MOP CLOSETS AND STORAGE (AFTER BOTTLING OR CANNING).

APPLICATIONS IN FOOD/FEED HANDLING AREAS:

APPLICATION TO FOOD/FEED AREAS OF FOOD/FEED HANDLING ESTABLISHMENTS MAY ONLY BE MADE AS A CRACK AND CREVICE TREATMENT.

1. APPLY ADVION® ANT GEL DIRECTLY INTO CRACKS AND CREVICES BY PLACING THE BAIT DISPENSER TIP APPROXIMATELY 1/2 INCH INTO CRACKS, CREVICES, HOLES AND SIMILAR OPENINGS WHERE ANTS ARE FOUND OR ARE ENTERING.

2. FOOD AND FEED HANDLING AREAS INCLUDE AREAS FOR RECEIVING, STORAGE, PACKING (CANNING, BOTTLING, WRAPPING, BOXING), PREPARING, EDIBLE WASTE STORAGE, AND ENCLOSED PROCESSING SYSTEMS (MILLS, DAIRIES, EDIBLE OILS, SYRUPS). SERVING AREAS ARE ALSO CONSIDERED A FOOD/FEED AREA WHEN FOOD IS EXPOSED AND FACILITY IS IN OPERATION.

3. DO NOT APPLY ADVION ANT GEL TO AREAS WHERE FOOD/FEED, FOOD UTENSILS OR FOOD PROCESSING SURFACES MAY COME INTO CONTACT AND BECOME CONTAMINATED.

4. DO NOT APPLY ADVION ANT GEL TO AREAS THAT ARE ROUTINELY WASHED SUCH AS CRACKS AND CREVICES IN TOPS OF TABLES, FOOD/FEED PREPARATION AND PREPARED FOOD-HOLDING SURFACES AS BAIT COULD BE REMOVED BY THE WASHING.

5. DO NOT APPLY ADVION ANT GEL TO SURFACES WHERE THE TEMPERATURE EXCEEDS 120-130°F BECAUSE THIS COULD CAUSE THE BAIT TO LIQUEFY AND LOSE EFFECTIVENESS. EXAMPLES INCLUDE, BUT ARE NOT LIMITED TO, PARTS OF STOVES, OVENS, GRILLS, FUME HOODS, SAUNAS, HEAT LAMPS, COFFEE URNS, STEAM TABLES, TOASTERS, FRYERS, DISHWASHERS, AND HOT WATER PIPES.

6. USE GOOD APPLICATION PRACTICE TO AVOID MOVEMENT OF ADVION ANT GEL TO EXPOSED SURFACES USED FOR FOOD PREPARATION. IF GEL CONTACTS AN EXPOSED SURFACE, FIRST REMOVE AS MUCH AS POSSIBLE, THEN WASH WITH SOAP AND WATER.

OUTDOOR USE DIRECTIONS:

A THOROUGH INSPECTION AROUND A STRUCTURE MAY REVEAL AREAS WHERE ANTS ARE GAINING ACCESS TO THE STRUCTURE. ATTEMPTS SHOULD BE MADE TO REMOVE THE ACCESS. APPLY ADVION ANT GEL AS A SPOT OR THIN BEAD (SEE ABOVE) TO PEST ENTRY SITES SUCH AS ALONG WINDOWS, DOORS, BETWEEN CONSTRUCTION ELEMENTS, SEWER AREAS, ADJACENT TREES WHICH HARBOR ANTS, ALONG WALLS, GARBAGE HOLDING AREAS, OR SUITABLE PLACEMENT SITE ACTING AS AN ANT HARBORAGE. MAKE ADVION ANT GEL PLACEMENTS TO REDUCE THE POTENTIAL OF SUBSEQUENT HUMAN CONTACT. INSPECT ADVION ANT GEL PLACEMENTS PERIODICALLY AND APPLY FRESH ANT GEL AS NEEDED. HIGH TEMPERATURES MAY AFFECT THE CONSISTENCY OF THE GEL AFTER PLACEMENT, SO INSPECT TO DETERMINE IF ADDITIONAL GEL IS NEEDED.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE AND DISPOSAL.

PESTICIDE STORAGE:

STORE IN COOL, DRY PLACE INACCESSIBLE TO CHILDREN AND PETS.

PESTICIDE DISPOSAL:

WASTES RESULTING FROM THE USE OF THIS PRODUCT MUST BE DISPOSED OF ON SITE OR AT AN APPROVED WASTE DISPOSAL FACILITY.

CONTAINER DISPOSAL:

NONREFILLABLE CONTAINER: DO NOT REUSE OR REFILL THIS CONTAINER. OFFER FOR RECYCLING IF AVAILABLE. PLACE EMPTY BAIT DISPENSERS IN TRASH. IF PARTIALLY FILLED, WRAP IN NEWSPAPER AND DISCARD IN TRASH OR CALL YOUR LOCAL SOLID WASTE AUTHORITY FOR DISPOSAL INSTRUCTIONS.

ANTIDOTE: There's no specific Antidote, and treatment is based on the visible symptoms.

PRODUCTION DATE: 21/04/2026

EXPIRY DATE: 21/04/2029

WHO CLASSIFICATION: WHO Class II (Class II)

BATCH NO: ABW6D28062

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: READ THE ENTIRE DIRECTIONS FOR USE AND CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY BEFORE BUYING OR USING THIS PRODUCT. IF THE TERMS ARE NOT ACCEPTABLE, RETURN THE PRODUCT AT ONCE, UNOPENED, AND THE PURCHASE PRICE WILL BE REFUNDED.

THE DIRECTIONS FOR USE OF THIS PRODUCT MUST BE FOLLOWED CAREFULLY. IT IS IMPOSSIBLE TO ELIMINATE ALL RISKS INHERENTLY ASSOCIATED WITH THE USE OF THIS PRODUCT. CROP INJURY, INEFFECTIVENESS OR OTHER UNINTENDED CONSEQUENCES MAY RESULT BECAUSE OF SUCH FACTORS AS MANNER OF USE OR APPLICATION, WEATHER OR CROP CONDITIONS, PRESENCE OF OTHER MATERIALS OR OTHER INFLUENCING FACTORS IN THE USE OF THE PRODUCT, WHICH ARE BEYOND THE CONTROL OF SYNGENTA CROP PROTECTION, LLC OR SELLER. TO THE EXTENT PERMITTED BY APPLICABLE LAW, BUYER AND USER AGREE TO HOLD SYNGENTA AND SELLER HARMLESS FOR ANY CLAIMS RELATING TO SUCH FACTORS.

SYNGENTA WARRANTS THAT THIS PRODUCT CONFORMS TO THE CHEMICAL DESCRIPTION ON THE LABEL AND IS REASONABLY FIT FOR THE PURPOSES STATED IN THE DIRECTIONS FOR USE, WHEN USED IN ACCORDANCE WITH DIRECTIONS UNDER NORMAL USE CONDITIONS. TO THE EXTENT PERMITTED BY APPLICABLE LAW: (1) THIS WARRANTY DOES NOT EXTEND TO THE USE OF THIS PRODUCT CONTRARY TO LABEL INSTRUCTIONS OR UNDER CONDITIONS NOT REASONABLY FORESEEABLE TO OR BEYOND THE CONTROL OF SELLER OR SYNGENTA, AND (2) BUYER AND USER ASSUME THE RISK OF ANY SUCH USE. TO THE EXTENT PERMITTED BY APPLICABLE LAW, SYNGENTA MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS WARRANTED BY THIS LABEL.

TO THE EXTENT PERMITTED BY APPLICABLE LAW, IN NO EVENT SHALL SYNGENTA BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF SYNGENTA AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF SYNGENTA OR SELLER, THE REPLACEMENT OF THE PRODUCT.

SYNGENTA AND SELLER OFFER THIS PRODUCT, AND BUYER AND USER ACCEPT IT, SUBJECT TO THE FOREGOING CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND OF LIABILITY, WHICH MAY NOT BE MODIFIED EXCEPT BY WRITTEN AGREEMENT SIGNED BY A DULY AUTHORIZED REPRESENTATIVE OF SYNGENTA.

IMPORTER:

VERMINEX PEST CONTROL EXPERTS

Villa 666, Road 3213, Block 332, Bu Ashira - Bahrain

+973 17280188

Email: info@verminexbahrain.com

WWW.VERMINEXBAHRAIN.COM

MANUFACTURED FOR:

SYNGENTA CROP PROTECTION, LLC

P.O. BOX 18300
GREENSBORO, NORTH CAROLINA 27419-8300, USA

PRODUCT OF USA

SCP 1498A-L1C 0420

ADVION® ANT GEL

ADVION®, THE ALLIANCE FRAME, THE SYNGENTA LOGO AND THE PURPOSE ICON ARE TRADEMARKS OF A SYNGENTA GROUP COMPANY

© 2026 VERMINEX PEST CONTROL EXPERTS & SYNGENTA GROUP. ALL RIGHTS RESERVED.
STRICTLY CONFIDENTIAL - OFFICIAL REGULATORY REFERENCE DOCUMENT.